

## CONFORMITY DECLARATION

No. 1/2017

1. **Unique identification code of the product-type:**
2. **Type, batch or serial number or any other element allowing identification of the construction product:** Steel ribbed bars for concrete reinforcing CELASAMAX B500SP, in coils, 10, 12, 14, 16 mm diameters
3. **Intended use or uses of the construction product:** load-bearing rebars for elements and structures made of reinforced concrete, unprestressed rebars in prestressed elements, rebars for masonry, rebars for elements and structures made of rigid rebars.

**Name, registered trade name or registered trade mark and contact address of the manufacturer:** CELSA HUTA OSTROWIEC Sp. z o.o., Ul. Samsonowicza 2, 27-400 Ostrowiec Swietokrzyski, Polonia, tel: 0048.225.811.154, fax: 0048.225.811.140

4. **Name and contact address of the authorised representative:**
5. **Conformity demonstrated on the basis of:**  
AGREMENTUL TEHNIC ÎN CONSTRUCȚII NR. 001SB-01/410-2017

### 6. Performance of products:

Characteristics	Tests standard	Specifications from standard	Declared values
1	2	3	4
Yield limit	SR EN ISO 15630-1:2011	min. 500 N/mm <sup>2</sup> (diam. 10, 12, 14, 16 mm) conform PN-H-93220:2006	> 500 N/mm <sup>2</sup>
Tensile strength	SR EN ISO 15630-1:2011	min. 575 N/mm <sup>2</sup> (diam. 10, 12, 14, 16 mm) conform PN-H-93220:2006	> 575 N/mm <sup>2</sup>
Elongation after failure (A <sub>s</sub> )	SR EN ISO 15630-1:2011	min. 16% conform PN-H-93220:2006	> 16 %

**Name and address of testing laboratory:** „Laboratory for research and tests regarding concrete and mortars technology and durability, materials, elements and construction structures, geotechnics and foundations for constructions - BSGF” of INCĐ URBAN-INCERC, INCERC Bucharest Branch, Pantelimon Rd. no. 266, District 2, zip code 021652, Bucharest.

This declaration of conformity is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and in the name of the manufacturer by:

24.10.2017

Dyrektor ds. Jakości ZWW

*Stanisław Klusek*

## DECLARAȚIA DE CONFORMITATE

Nr. *1/2017*

1. Cod unic de identificare al produsului-tip:
2. Tipul, lotul sau numărul de serie sau orice alt element care permite identificarea produsului pentru construcții: PRODUSE CU PROFIL PERIODIC DIN OȚEL CELSAMAX B500SP, LIVRATE ÎN COLACI, PENTRU ARMAREA BETONULUI, DIAMETRELE 10, 12, 14, 16 mm
3. Utilizarea sau utilizările preconizate ale produsului pentru construcții: armătură de rezistență în elemente și structuri din beton armat, armătură nepretensionată în elemente din beton precomprimat, armătură pentru zidărie, armătură pentru elemente și structuri din beton cu armătură rigidă.
4. Numele, denumirea socială sau marca înregistrată și adresa de contact a fabricantului:  
CELSA HUTA OSTROWIEC Sp. z o.o., Ul. Samsonowicza 2, 27-400 Ostrowiec Swietokrzyski, Polonia, tel: 0048.225.811.154, fax: 0048.225.811.140
5. Numele și adresa de contact a reprezentantului autorizat:
6. Conformitatea este demonstrată având ca referință:  
AGREMENTUL TEHNIC ÎN CONSTRUCȚII NR. 001SB-01/410-2017

### 7. Performanța produselor:

Caracteristici	Standardul de încercări	Prevederile din standard	Valori declarate
1	2	3	4
Limita de curgere	SR EN ISO 15630-1:2011	min. 500 N/mm <sup>2</sup> (diam. 10, 12, 14, 16 mm) conform PN-H-93220:2006	> 500 N/mm <sup>2</sup>
Rezistența la rupere	SR EN ISO 15630-1:2011	min. 575 N/mm <sup>2</sup> (diam. 10, 12, 14, 16 mm) conform PN-H-93220:2006	> 575 N/mm <sup>2</sup>
Alungirea la rupere (A <sub>s</sub> )	SR EN ISO 15630-1:2011	min. 16% conform PN-H-93220:2006	> 16 %

**Denumirea și adresa laboratorului care au efectuat încercările:** „Laborator de cercetare și încercări privind tehnologia și durabilitatea betoanelor și mortarelor, materialelor, elementelor și structurilor de construcții, geotehnică și fundații pentru construcții - BSGF” din cadrul INCĐ URBAN-INCERC, Sucursala INCERC București, Șos. Pantelimon 266, Sector 2, cod 021652, București.

Această declarație de conformitate este emisă pe răspunderea exclusivă a fabricantului identificat la punctul 4.

Semnată pentru și în numele fabricantului de către:

*24.10.2017*

Direktor ds. Jakości ZWW

*Stanisław Klusek*